

SEALING

- SEMI OR FULLY AUTOMATIC
- UNIFORM OR RANDOM CASE SIZES
- TOP AND BOTTOM SEALING
- SIDE OR VERTICAL SEALING
- ACCESSORIES



Case sealers for uniform case sizes

T-400 case sealer with automatic flap closure

Top and bottom closure.

The machine is constructed for "round-the-clock" operation with minimum service requirements.

The short length of the machine ensures high production capacity and maximum space utilisation.

Ideal for integration into fully automatic packaging lines for sealing of uniform cases in batches.

Basic Models

The standard version is available in three constructions (see table). All three machines can be fitted with extra-high pillars.

- Easy to adjust for different case sizes.
- Easy tape and dispenser replacement.
- Compact design.
- Combined with feed-in control function, efficient separation and maximum utilisation of the capacity of the case sealer is ensured.
- Easy to maintain with low maintenance and spare parts costs.
- Electro-galvanised or stainless steel finish.



Item no.

Model examples (use the configurator to design your specific model)	Item no.
T-400 5-5-7	441726713
T-400 5-5-7 incl. safety cover	454356713
T-400 5-8-7	441726913
T-400 5-8-7 incl. safety cover	454356913
T-402 5-5-7	441736713
T-402 5-5-7 incl. safety cover	454366713
T-402 5-8-7	441736913
T-402 5-8-7 incl. safety cover	454366913
T-402 Maxi 7-8-7	441732373
T-402 Maxi 7-8-7 incl. safety cover	454362373

All measurements are in mm. Subject to alteration.

Case sealers for uniform case sizes

Specifications	T-400 5-5-7	T-400 5-8-7	T-402 5-5-7	T-402 5-8-7	T-402 Maxi 7-8-7
Case dimensions*					
Max. (LxWxH) mm	550 x 460 x 470	550 x 460 x 770	750 x 460 x 470	750 x 460 x 770	750 x 710 x 625
Min. (LxWxH) mm	200 x 120 x 95	200 x 120 x 95	200 x 120 x 95	200 x 120 x 95	200 x 170 x 125
Tape overlap					
70 mm	●	●	●	●	●
50 mm	○	○	○	○	○
Tape width					
25 - 30 mm	○	○	○	○	○
38 - 50 mm	●	●	●	●	○
50 - 75 mm	○	○	○	○	●
Side drives					
Height 50 mm	●	●	●	●	○
Height 80 mm	○	○	○	○	●
Working height max./min.					
920 - 820 mm	○	○	○	○	○
820 - 720 mm	○	○	○	○	○
720 - 620 mm	●	●	●	●	●
620 - 520 mm	○	○	○	○	○
520 - 420 mm	○	○	○	○	○
Weight kg	175	175	175	175	220
Capacity*	Max. 18/min.				
Electric specifications	3 x 230/400 V, 50-60 Hz, or 3 x 415/460 V, 50-60 Hz. Connected load 0.3 kW. Other specifications available upon request.				
Tape diameter	Max. 385 mm.				
Air consumption	Max. 0.6 l at 6 bar per case.				
● Standard ○ Optional* Depending on the construction and quality of the case. Subject to alteration.					



Accessories

- ▶ Tape dispensers for case sealers - infeed from the right
- ▶ Spare parts for tape dispensers
- ▶ Tape alarm for case sealers
- ▶ Easy-open system

T-402 in action


Case sealer with controller belt at the inlet end. Other conveyor modules take care of transportation to and from the machine.

Case sealers for uniform case sizes


Machine dimensions

T-400/402 5-5-7 / 5-8-7


T-402 Maxi 7-8-7




910



1010




910



1220

All measurements are in mm. A= working height. Subject to alteration.



The SOCO SYSTEM

From case erecting to pallet securing

The SOCO SYSTEM product range handles cases, plastic crates, trays, pallets, and many of your products.

The SOCO SYSTEM product range is designed to increase efficiency and eliminate physically strenuous work functions.

One system – one supplier

There are many advantages of full product compatibility; less paperwork and no time wasted in adapting products from different suppliers.

Meet your future requirements

Add modules and functionality, relocate modules, or whatever fits your future needs.

Call us, mail us, or visit us at www.socosystem.com

Your local SOCO SYSTEM dealer:



Staudi Oy
 Jan Staudinger
 Mikkelänkallio 5
 02770 Espoo
 Tel+358-9-8558879
 Mobile +358-44-5234400
 Email jan.staudinger@staudi.fi
www.staudi.fi

Head office:
SOCO SYSTEM A/S
 Helgeshøj Allé 16D
 DK-2630 Taastrup
 Denmark
 Tel +45 43 52 55 66
 Fax +45 43 52 81 16
info@socosystem.com
www.socosystem.com



Würth,
France



Nilfisk,
Denmark



Ciba,
Switzerland



Flextronics,
Germany



Umpac,
Sweden



Coop,
Denmark



JAS HENNESSY & CO,
France



Altmark Käserei,
Germany